

RECEIVED  
CENTRAL FAX CENTER

SEP 18 2006

**Serial No. 10/088,732**  
**Art Unit: 1617**

preparations. Cosmetic and pharmaceutical preparations utilize liquid silicones hence an oil-like material is required (see attached silicones from Hackh's Chemical Dictionary). Applicants therefore respectfully submit that the hydroxycarboxylic acid esters must be oils to be useful in the Kahre et al. composition. As is shown in the prior art of record in the present application, partial esters of hydroxycarboxylic acids are known to be solid materials at room temperature. Applicants therefore respectfully submit that partial esters of hydroxycarboxylic acids are not useful in the Kahre et al. composition. The Examiner states that the fatty compounds substitute can comprise an oil component that is a hydroxycarboxylic acid ester of citric, malic or tartaric acid with an alcohol, such as a long-chain fatty alcohol. The Examiner then states:

"...however it is known to those of ordinary skill in the art that an "oil" is by definition a mixture of different compounds, such as different esterified forms, and thus includes partial esterified forms."

Applicants respectfully submit that the Examiner clearly does not understand the nature of an "oil". An oil is distinguished by its physical properties such as viscosity, general water insolubility and properties such as slipperiness, lubricity and the like. However, it is well known in the art that an "oil" may not be a mixture of various compounds. Applicants invite the Examiner's attention to well known oils such as a low molecular weight alkyl ester of a fatty acid such as methyl laurate, which can be a relatively pure compound.

The Examiner states that the oil can contain mixtures of various esterified forms of the hydroxycarboxylic acids. Applicants respectfully submit that a major portion of the

**Serial No. 10/088,732**

**Art Unit: 1617**

hydroxycarboxylic acids disclosed in Kahre et al. are monocarboxylic acids and therefore only full esters be prepared utilizing fatty alcohols.

The prior art clearly teaches that the partial esters are solids rather than oils (liquids) and would not be useful to replace the liquid silicone useful in cosmetic preparations. As is known in the art, the partial esters of hydroxypolycarboxylic acids are solid material and can readily be separated by their solubility in various solvents including water. Although the preparation of the partial esters could involve formation of the full esters, it is readily apparent that the full esters could be easily separated from the partial esters to provide a mixture in which the full esters were a minor impurity (see prior art of record).

At page 4 of the Advisory Action, the Examiner states:

"Applicants also argue that Weil et al. teaches that di and tri-esters of citric acid severely limit foaming, and thus that it would not be obvious to combine the esters of Weil et al. in the composition of Kahre et al. The Examiner notes that Weil et al. does not teach that the monoester would be problematic with foaming, and thus it is considered that it would be obvious to combine the monoester of Weil et al. into the composition of Kahre et al."

In this statement, the Examiner appears to be providing an argument counter to the argument presented at page 3, second paragraph. If the partial esters always contain mono di and tri-esters, then the di and tri-esters would severely limit foaming as disclosed in Weil et al.

The Examiner states:

"Applicants also argue that Kahre et al. and the other references do not teach the improved foam stability or mucous membrane compatibility achieved by the instantly claimed composition. The fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the

RECEIVED  
CENTRAL FAX CENTER

SEP 18 2006


**Serial No. 10/088,732**  
**Art Unit: 1817**

differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985)."

Applicants respectfully submit that from the general teachings of the prior art, the effects of mucus membrane compatibility and improved foam stability are unexpected properties from a small group of hydroxypolycarboxylic acid esters.

Applicants respectfully request that the Examiner reconsider and allow the application.

Respectfully submitted,



Daniel S. Ortiz  
(Reg. No. 25,123)  
Attorney for Applicants  
(215) 628-1141

Cognis Corporation, Patent Dept.  
300 Brookside Avenue  
Ambler, PA 19002

DSO/ras

Enclosure: Hackh's Chemical Dictionary, pgs. 770 & 771

HAAMEND\078.SUPP-FINAL.DOC

## SILICA

770

## SILICANE

## SILIC.

The many silica minerals may be grouped into: (1) Phenocrystalline or vitreous minerals (see *quartz*). (2) Cryptocrystalline and amorphous minerals (see *chalcedony*). (3) Amorphous and colloidal minerals (see *opal*). amorphous- A colorless powder, d.2.30, m.1650; insoluble in water or alcohol, soluble in hot alkalis or hydrofluoric acid; used for chemical glassware. colloidal- See *silicic acid*. crystalline- Colorless hexagonal, transparent prisms, d.<sub>100</sub> 2.660 m. 1760, insoluble in water, alcohol, alkalis or acids, soluble in hydrofluoric acid. Used in optical instruments, and for chemical glassware as a platinum substitute. The main crystalline forms (quartz, tridymite and cristobalite) have definite transition points, (870°C. and 1470°C., respectively).

s. brick. A fire-brick containing over 92 % s.; its crystalline phase is cristobalite and tridymite. s. gel. A gelatinous form of silica which, if activated, absorbs water; used to dry blast-furnace gases, air, and other gases. s. minerals. A group of rock-forming minerals:

quartz, tridymite....  $\text{SiO}_2$

## Feldspar group

orthoclase.....  $\text{KAlSi}_3\text{O}_8$

albite.....  $\text{NaAlSi}_3\text{O}_8$ —Ab

anorthite.....  $\text{CaAl}_2\text{Si}_2\text{O}_8$ —An

The composition of other rocks is indicated by the proportion of Ab and An; as,

oligoclase..... Ab:An: to Ab:An:

andesine..... Ab:An: to Ab:An:

labradorite..... Ab:An: to Ab:An:

bytownite..... Ab:An: to Ab:An:

## Leucite group

leucite.....  $\text{KAlSi}_2\text{O}_6$

sanalcite.....  $\text{NaAlSi}_2\text{O}_6$

## Nephelite group

nephelite.....  $\text{NaAlSi}_3\text{O}_8$

kaliophyllite.....  $\text{KAlSi}_3\text{O}_8$

eucryptite.....  $\text{LiAlSi}_3\text{O}_8$

## Cancrinite-sodalite group

cancrinite.....  $\text{Al}_2\text{Na}_2\text{H}_2\text{Si}_2\text{O}_{12}$

sodalite.....  $\text{Al}_2\text{Na}_2\text{Cl}_2\text{Si}_2\text{O}_{12}$

haüynite.....  $\text{Al}_2\text{Na}_2\text{Ca}_2\text{Si}_2\text{O}_{12}$

noelikeite.....  $\text{Al}_2\text{Na}_2\text{SSi}_2\text{O}_{12}$

## Pyroxene group

enstatite.....  $\text{MgSiO}_3$

hypersthene.....  $\text{FeSiO}_3$

wollastonite.....  $\text{CaSiO}_3$

diopside.....  $\text{CaMgSi}_2\text{O}_6$

hedenbergite.....  $\text{CaFeSi}_2\text{O}_6$

aegirine.....  $\text{NaFeSi}_3\text{O}_8$

jadeite.....  $\text{NaAlSi}_3\text{O}_8$

spodumene.....  $(\text{Li}, \text{Na})_2\text{AlSi}_2\text{O}_6$

## Amphibole group

anthophyllite.....  $(\text{Mg}, \text{Fe})\text{SiO}_3$

tremolite.....  $\text{CaMg}_2\text{Si}_2\text{O}_{11}$

glaucophanite.....  $\text{NaAlSi}_2\text{O}_6 \cdot \text{FeSiO}_3$

## Olivine group

forsterite.....  $\text{Mg}_2\text{SiO}_4$

fayalite.....  $\text{Fe}_2\text{SiO}_4$

monticellite.....  $\text{MgCaSiO}_4$

glaucochroite.....  $\text{CaMnSiO}_4$

## Mica group

muscovite.....  $\text{Al}_2(\text{KH}_2\text{Si}_2\text{O}_7)_2$

paragonite.....  $\text{Al}_2(\text{NaH}_2\text{Si}_2\text{O}_7)_2$

lappidolite.....  $\text{Al}_2(\text{R}, \text{F}, \text{Si}_2\text{O}_7)_2$  (Li, K)

biotite.....  $\text{Al}_2(\text{Mg}, \text{KH}_2\text{Si}_2\text{O}_7)_2$

phlogopite.....  $\text{Al}_2(\text{Mg}, \text{KH}_2\text{Si}_2\text{O}_7)_2$

chloritoid.....  $\text{Al}_2(\text{FeH}_2\text{Si}_2\text{O}_7)_2$

## Chlorite group

A number of minerals of the type,  $\text{Al}_2(\text{MgOH})_2(\text{SiO}_3)_2$ , and  $\text{Al}(\text{MgOH})_2(\text{SiO}_3)_2$ .

## Mellite group

melilite.....  $(\text{Al}, \text{Fe})_2(\text{Ca}, \text{Mg})_2\text{Si}_2\text{O}_{10}$

gehlenite.....  $\text{Al}_2\text{Ca}_2\text{Si}_2\text{O}_{10}$

akermanite.....  $\text{Ca}_2\text{Si}_2\text{O}_{10}$

sarcosite.....  $\text{Al}_2(\text{Na}, \text{Ca})_2\text{Si}_2\text{O}_{10}$

## Garnet group

grossularite.....  $\text{Ca}_3\text{Al}_2\text{Si}_2\text{O}_{12}$

pyrope.....  $\text{Mg}_3\text{Al}_2\text{Si}_2\text{O}_{12}$

almandite.....  $\text{Fe}_3\text{Al}_2\text{Si}_2\text{O}_{12}$

spessartite.....  $\text{Mn}_3\text{Al}_2\text{Si}_2\text{O}_{12}$

garnet.....  $\text{Ca}_3\text{Fe}_2\text{Si}_2\text{O}_{12}$

uvarovite.....  $\text{Ca}_3\text{Cr}_2\text{Si}_2\text{O}_{12}$

lagorinite.....  $\text{Na}_3\text{Al}_2\text{Si}_2\text{O}_{12}$

## Scapolite group

melonite.....  $\text{Ca}_2\text{Al}_2\text{Si}_2\text{O}_{10}$

marialite.....  $\text{Na}_2\text{Al}_2\text{Si}_2\text{O}_{10}\text{Cl}$

## Tolite group

iolite.....  $\text{H}_2(\text{Fe}, \text{Mg})_2\text{Al}_2\text{Si}_2\text{O}_{10}$

## Zoisite group

zoisite.....  $\text{HCa}_2\text{Al}_2\text{Si}_2\text{O}_{10}$

epidote.....  $\text{HCa}_2(\text{Al}, \text{Fe})_2\text{Si}_2\text{O}_{10}$

pleidmontite.....  $\text{HCa}_2(\text{Al}, \text{Mn})_2\text{Si}_2\text{O}_{10}$

## Topas group

topas.....  $\text{Al}_2\text{SiO}_5\text{F}_2$

## Andalusite group

andalusite.....  $\text{Al}_2\text{SiO}_5$

sillimanite.....  $\text{Al}_2\text{SiO}_5$

kyanite.....  $\text{Al}_2\text{SiO}_5$

## Tourmaline group

A group of borosilicates of aluminum and other bases of the average type,  $\text{Al}_2\text{M}_2\text{Si}_2\text{B}_2\text{O}_{11}$ .

M is lithium or sodium, and sometimes potassium, in the alkali-tourmalines; magnesium, in the magnesium tourmalines; iron, in iron tourmalines.

## Zeolite group

heulandite.....  $\text{CaAl}_2\text{Si}_2\text{O}_{10} \cdot 5\text{H}_2\text{O}$

stilbite.....  $(\text{Na}, \text{Ca})\text{Al}_2\text{Si}_2\text{O}_{10} \cdot 8\text{H}_2\text{O}$

laumontite.....  $\text{CaAl}_2\text{Si}_2\text{O}_{10} \cdot 4\text{H}_2\text{O}$

chabasite.....  $\text{CaAl}_2\text{Si}_2\text{O}_{10} \cdot 6\text{H}_2\text{O}$

## Miscellaneous group

beryl.....  $\text{Al}_2\text{Be}_3\text{Si}_6\text{O}_{18}$

serpentine.....  $\text{H}_2\text{Mg}_3\text{Si}_2\text{O}_{10}$

talc.....  $\text{H}_2\text{Mg}_3\text{Si}_2\text{O}_{10}$

silicam.  $\text{Si}_2\text{N}_2\text{H}_2$  = 100.2. A white powder obtained by heating silicon imide,  $\text{Si}(\text{NH})_2$ . Insoluble in water, and forms silicon nitride,  $\text{Si}_3\text{N}_4$ , when further heated.

silicane. (1) A silane; that is, a compound of the type  $\text{Si}_2\text{H}_4$ . (2) An organic compound of the type  $\text{SiR}_4$ , where R is a hydrocarbon radical. (3)  $\text{SiH}_4$  = 32.08. Monosilane, silicamethane, silicohydride. A colorless gas, m. -186, b. -112. bromo-  $\text{SiH}_3\text{Br}$  = 111.0. A colorless gas, d.<sub>4</sub> 1.172, m. 94, b. 1.8. chloro-  $\text{SiH}_3\text{Cl}$  = 66.54. A colorless gas, d.<sub>4</sub> 1.145, m. -118, b. -30.4. di-  $\text{SiH}_2$  = 62.16. Silicoethane, a gas, m. -132. dibromo-  $\text{SiH}_2\text{Br}_2$  = 189.91. A colorless liquid, d. 2.17, m. -70.1, b. 66. dichloro-  $\text{SiH}_2\text{Cl}_2$  = 100.99. A colorless gas, d.<sub>4</sub> 1.142, m. -122, b. 8.8. dimethyl-  $\text{SiH}_2\text{Me}_2$  = 60.12. Dimethylmonosilane. Colorless gas, d.<sub>4</sub> 0.68, m. -150, b. -20. ether-  $(\text{SiH}_2)_2\text{O}$  = 78.17. Disilaneoxide. A colorless gas, d.<sub>4</sub> 0.881, m. -143.5, b. 16.2. ethoxy-triethyl-  $\text{Et}_3\text{SiOEt}$  = 160.22. Triethylsilane ethyloxide triethylsilanol ethylether. Colorless liquid, d. 0.8403, b. 153, insoluble in water. hydroxy-  $\text{SiH}_3\text{OH}$ . methyl-  $\text{MeSiH}_3$  = 46.11. Methylmonosilane. Colorless gas, d.<sub>4</sub> 0.62.

m. -  
Silic  
Silic  
tetra  
ethy  
d.0.7  
tetra  
= 1.  
less  
H.)  
pher  
233.  
gas,  
Silic  
m. -  
trich  
less  
H.)  
b.19  
= Et  
solu  
Silic  
b. -  
iodo  
silicat  
acid  
min.  
two  
mole  
num  
of 4  
wat  
dent  
silico  
See  
assi  
min  
fluo  
silico  
Con  
98.5  
pow  
di-  
pow  
pow  
in  
inac

%H.C

silico  
silic  
Ni,  
silicid  
or f  
silicid  
woc  
fiad  
silicu  
silico  
in  
SiO  
zoic  
92;  
eth  
hea

**CANR**

**POH.**

18019

120

4

other  
1,000.  
otaw-  
num.  
iron

## 10

under  
'H),  
ride,

d of  
und  
rbon  
lico-  
m.  
11.0,

145.  
lico-  
, =  
'0.1.  
rless  
hyl-  
Col-  
her-  
-less  
xy-  
lane  
-less  
for.  
.11,  
.62.

**SILICATE**

m. -166.5, b. -56.8. tetra-  $\text{SiH}_4$ ; = 122.31. Silicobutane. A gas, m. -93.5. tetrabromo-  
Silicon bromide, tetrachloro- Silicon chloride.  
tetraethyl-  $\text{Si}(\text{C}_2\text{H}_5)_4$  = 144.25. Silicon tetra-  
ethyl, siliconotana,  $\text{SiEt}_4$ . A colorless liquid,  
d.0.7682, b.152. tetrafluoro- Silicon fluoride.  
tetraiodo- Silicon iodide, tetramethyl-  $\text{SiCH}_3$ .  
= 144.22. Silicon tetramethyl,  $\text{SiMe}_4$ . Color-  
less liquid, d.0.845, b.27. tetraphenyl-  $\text{Si}(\text{C}_6\text{H}_5)_4$ ,  
= 386.24. Silicon tetraphenyl, tetra-  
phenylsilicon,  $\text{SiPh}_4$ . Colorless crystals, m.-  
233, trf.  $\text{SiH}_2$  = 92.24. Siliconopropane. A  
gas, m. -117. tribromo-  $\text{SiHBr}_3$  = 268.82.  
Silicobromoform. A colorless liquid, d.2.7,  
m. -80, b.109. trichloro- Silicochloroform.  
trichloroethyl-  $\text{Si}(\text{C}_2\text{H}_5)_2\text{Cl}_2$  = 163.47. A color-  
less liquid, d.1.230. trichlorophenyl-  $\text{Si}(\text{C}_6\text{H}_5)_2\text{Cl}_2$   
= 211.47. A colorless liquid, d.1.226,  
b.197, decomp. in water. triethyl-  $(\text{C}_2\text{H}_5)_3\text{SiH}$   
= 116.18. Triethylsilicon, silicoheptane,  $\text{SiEt}_3\text{H}$ . Colorless liquid, d.0.751, b.107, in-  
soluble in water. trifluoro-  $\text{SiHF}_3$  = 85.07  
Silicofluoroform. A colorless gas, m. -110,  
b. -80.3. trifido-  $\text{SiH}_2\text{F}$  = 409.83. Silico-  
iodoform. A red liquid, d.3.314, m.8, b.220.

**silicate.** A salt derived from silica or the silicic acids. They form, by far, the largest group of minerals (see *silica*), and are derived from the two types:  $M\text{SiO}_3$ —*orthosilicate*;  $M_2\text{SiO}_5$ —*metasilicate*, which may combine to form a number of *poly-silicates*. With the exception of the alkali silicates, they are insoluble in water (see *silica minerals*). s. cement. See *dental cement*. s. of soda. Sodium silicate.

**siliceous.** Containing quartz or silica. **s. algae.**  
See **algae**. **s. deposit.** **S. sinter.** The solid  
accumulation of silica deposited from hot  
mineral springs or geysers. Cf. **geyserite**,  
**fluorite**. **s. sinter.** **S. deposit.**

silicic. (1) Containing silica or silicon. (2) Containing sillicic acid. s. acid.  $\text{H}_2\text{SiO}_3$  = 90.3. Ortho-silicic acid. Colorless, amorphous powder, d.l.576; slightly soluble in water. di- $\text{H}_2\text{SiO}_3$  or  $\text{H}_2\text{SiO}_2$ . A white insoluble powder. meta- $\text{H}_2\text{SiO}_3$  = 78.1. A white powder, d.l.813; insoluble in water, soluble in alkalis. tri- $\text{H}_2\text{SiO}_3$  = 318.3. A white insoluble powder.

## SILICIC ACIDS

$\%H_2O$        $\%SiO_2$   
 $H_2Si_2O_5 = 4SiO_2 \cdot H_2O$ , tetra-  
 $H_2Si_3O_7 = 2SiO_2 \cdot H_2O$ , meta-di-  
 $H_2Si_4O_{11} = 3SiO_2 \cdot 2H_2O$ , meta-tri-  
 $H_2Si_5O_{15} = SiO_2 \cdot H_2O$ , meta-  
 $H_2Si_6O_{19} = 3SiO_2 \cdot 4H_2O$ , ortho-tri-  
 $H_2Si_7O_{23} = 2SiO_2 \cdot 3H_2O$ , ortho-di-  
 $H_2Si_8O_{27} = SiO_2 \cdot 2H_2O$ , ortho-

**silicide.** A binary compound of tetravalent silicon and a metal; as,  $M_2Si$ , where M is Fe, Ni, Co, Cr, Mn, Cu, or Mg.

silicification. The gradual replacement of rocks or fossils by silica (petrification).

silicified. Describing an organic material (e.g., wood) that has been converted into silica (petrified).

**silicium, Silicon.**

**silico-** A prefix indicating silicon, generally in organic compounds, *a.* acetic acid.  $\text{MeSiOOH} = 76.1$ . An insoluble solid. *s.* benzoic acid.  $\text{PhSiOOH} = 138.1$ . A solid, *m.* 92; insoluble in water, soluble in alcohol or ether. *s.* bromoform.  $\text{SiEtBr}_3 = 268.9$ . A heavy, colorless liquid, *d.* 2.7, *b.* 116; decomp.

## 771

## SILICON

by water. *s. butane*. *Soo silanes*, *s. cal-*  
cium. A product of the electric furnace used  
to deoxidize steel. *s. chloroform*.  $\text{SiHCl}_3$  =  
185.86. A colorless liquid, d.1.34, m.-1.3,  
b.34; decomp. by water. *s. dectungstic*  
acid.  $\text{H}_2\text{SiW}_2\text{O}_7$  or  $\text{SiO}_2 \cdot 10\text{W}_2\text{O}_7 \cdot 4\text{H}_2\text{O}$ . A  
white powder used as a reagent, as it forms  
insoluble cesium salts. *s. ethane*. Disilane  
(see *silanes*). *s. fluorides*. Fluosilicates. *s.*  
fluoric acid. Fluosilicic acid. *s. formic* acid.  
*Soo leucane*. *s. heptane*.  $\text{Et}_3\text{SiH}$  = 116.1.  
Triethylsilane. A colorless liquid, d.0.751,  
b.107. *s. hydrides*. Silanes. *s. iodoform*.  
 $\text{SiH}_4$  = 409.9. A colorless heavy liquid,  
d.3.4, b.220; decomp. by water. *s. methane*.  
Silane. *s. oxalic* acid.  $\text{Si}_2\text{O}_5\text{H}_2$  = 122.3.  
 $\text{HOOSiSiOOH}$ . A white, unstable solid, *s.*  
tungstic acid. *S. dectungstic* acid.

**silicol. Hydroxysilan.** A compound of the type  $R_3SiOH$ ; *ns*, triethyl-  $Et_3SiOH = 182.18$ .  
**Silicoheptyl alcohol.** A colorless liquid. *d.* 0.8709, *b.* 154, insoluble in water.

**silicon.**  $\text{Si}$  = 28.08. **Silicium.** A non-metallic element of the carbon group, atomic number 14. It occurs in several allotropic modifications: (1) *amorphous* s. A brown powder, d.3.35. (2) *crystalline* s. A grayish-black crystalline powder, d.3.49, m.1600; insoluble in water, soluble in alkalis. (3) *graphitoid* s. A dense crystalline form, or graphite-like masses deposited from molten silicon. (4) *adamantine* s. Needle-shaped crystals of silicon of extreme hardness. The principal valency of s. is four, and like carbon, it forms many complex compounds that are an essential part of the earth surface (rocks). See *silica minerals*. ethyl- The radical  $\equiv\text{SiEt}$ , of *silanes*. methyl- The radical  $\equiv\text{SiMe}$ , radio- The isotope of mass 27. Cf. *radioelements*.

**s. alkyls.** (1) A group of hydrogen compounds of silicon corresponding with the hydrocarbons; as,  $\text{SiEt}_4$ ,  $\text{SiEt}_3\text{H}$  etc. See *silanes*. (2) An organic compound of Si and alkyl radicals; as,  $\text{SiMe}_4$ ,  $\text{SiEt}_4$  etc. See *silicanes*. **s. alloys.** A group of non-corrosive alloys of silicon with metals; as, duriron, ironac, narkl, silumin, and tantron. Cf. *s. copper*, *s. steel*, *s. strontium*. **s. borides.** The hard compounds  $\text{SiB}_2$  and  $\text{SiB}_6$ . **s. bronzes.** A noncorrosive alloy of silicon, copper, and tin. **s. bromides:** (1)  $\text{SiBr}_4$  = 347.9. S. tetrabromide. A colorless fuming liquid, d.2.818, m. -12, b.164; decomp. by water to silicic acid and hydrobromic acid. (2)  $\text{Si}_2\text{Br}_6$  = 535.7. S. tribromide. A colorless solid, b.240, decomp. by water, s. carbide.  $\text{SiC}$  = 40.1. Colorless rhombohedra plates, d.3.12; dissociates at 2250°C., but has no melting point. Cf. *carborundum*, *silumum*, *crystolon*. **s. chlorides:** (1)  $\text{SiCl}_4$  = 170.0. S. tetrachloride. A colorless fuming liquid, d.1.624, m. -87, b.57.6; decomp. by water to silicic acid and hydrochloric acid. Used in electrotechnics, and mixed with ammonia vapors, in the production of smoke screens. (2)  $\text{Si}_2\text{Cl}_6$  = 269.0. S. trichloride. A white solid, d.1.58, m. -1, b.146, decomp. by water. (3)  $\text{Si}_3\text{Cl}_8$  = 387.8. S. octachloride. A white powder. **s. copper.** An alloy of 20-30 % Si and 70-80 % Cu, used in metallurgy. **s. diside.** Silica. **s. disulfide.**  $\text{SiS}_2$  = 92.2. White needles, which sublime when heated, decomp. by water. **s. ethane.** See *silanes*. **s. ethyl Terra.**